

Material Safety Data Sheet Nano Copper colloid (Cu-DW)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: Nano Copper Product Code: Cu-DW-500 Company Identification

PNF Co.

Phone: +98 21 91009012 **Fax:** +98 21 88092806

No 2 – 2th west alley – hormozan st – sharak e gharb – Tehran- Iran

SECTION 2: COMPOSITION & INFORMATION ON INGREDIENTS

Component	CAS#	Weight Percentage
Nano Copper+ Deionized water	Mixture	100%

Copper concentration: 1000-4000ppm

SECTION 3: PHYSICAL AND CHEMICAL PROPERTIES

Composition: Copper nanoparticle colloid

Concentration: 1000-4000ppm

Purity: 99%

Molecular Weight: 63.5 g/mol

Appearance: brown-reddish

Particle size: >30nm

Morphology: spherical

Polydispersity Index (PDI): 0.50

Specific surface area (SSA): 5-10 m²/g

Copper nanoparticles bulk density: 0.15 -0.35 g/cm³

Odor: Odorless.

Taste: Not available.

pH (1% soln/water): 7

Boiling Point: Not available

Melting Point: Not available.

Critical Temperature: Not available.

Specific Gravity: Not available

Vapor Pressure: Not available

Vapor Density: Not available

Volatility: Not available.

Odor Threshold: Not available.

Dispersion Properties: completely dispersion in water.

SECTION 4: STABILITY AND REACTIVITY

Chemical Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Excess heat, incompatible materials

Incompatibility with various substances: Reactive with oxidizing agents.

Corrosivity: Not available.

Polymerization: Will not occur.

SECTION 5: HAZARDS IDENTIFICATION

Potential Acute Health Effects: Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not Available.

MUTAGENIC EFFECTS: Not Available. TERATOGENIC EFFECTS: Not Available. DEVELOPMENTAL TOXICITY: Not Available.

Repeated or prolonged exposure is not known to aggravate medical condition.

SECTION 6: FIRST AID MEASURES

Eve Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention

Skin Contact:

In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact:

Wash with a disinfectant. Seek medical attention.

Ingestion: No specific first aid measures are required. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

SECTION 7: FIRE & EXPLOSION DATA

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: Not available.

Flash Points: Not available.

Flammable Limits: Not available.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Slightly flammable to flammable in presence of heat. Non-flammable in presence of shocks.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Not available.

SECTION 8: ACCIDENTAL RELEASE MEASURES

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill: Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

SECTION 9: HANDLING AND STORAGE

Precautions:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area.

Shelf life: maximum 2 years

SECTION 10: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use in a well-ventilated area.

Personal Protection: Safety glasses. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not Available.

SECTION 11: TOXICOLOGICAL INFORMATION

Routes of Entry: Inhalation. Ingestion. Absorbed through skin. Eye contact.

Toxicity to Animals:

LD50: Not available. LC50: Not available.

Chronic Effects on Humans: Not available.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of ingestion, of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:

May cause cancer based on animal data. However, at the time of this review, no studies were found on the possible carcinogenic activity of silver compounds in humans.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: May cause skin irritation. May be absorbed through skin. Eyes: May cause mechanical eye irritation. Inhalation: May cause respiratory tract irritation. Exposures above TLV may result in accumulation of silver in the body (argyria) Symptoms may include a permanent blue-gray pigmentation of the skin, mucous membranes, and eyes. Ingestion: May be harmful if swallowed. Large doses may result in silver poisoning, which may show symptoms of gastroenteritis (gastrointestinal tract irritation), spasms, vertigo, spasms, and skin discoloration. Prolonged or repeated inhalation, application, or ingestion of silver compounds may cause a permanent bluish discoloration of the skin and mucous membranes, and may also affect blood, and liver.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise

Toxicity of the Products of Biodegradation: Not available.

Special Remarks on the Products of Biodegradation: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

SECTION 15: OTHER INFORMATION

References: Not available.


Other Special Considerations: Not available.

Created: 29/07/2018 12:09 PM

Last Updated: 26/02/2020 13:26 PM

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

SEM



XRD

